


Classic II Installation Instructions Suzuki Intruder 1500

- 1. Remove the headlight.** Locate and remove the two Phillip's slot flat head screws holding the headlight to the nacelle. Locate and remove the three 6mm hex head screws holding the nacelle to the triple clamp bracket using a 10mm socket.
- 2. Remove the turn signal assembly.** Raise the headlight nacelle for access the button head screw under the bottom of the headlight. Remove the screw with a 4mm hex key. Locate the two button head screws holding the turn signal assembly at the bottom of the triple clamp and remove with a 5mm hex key. Let the assembly hang out of the way.
- 3. Prepare for installation.** Locate the 8mm hex head screws below and to each side of the headlight nacelle. Remove each screw with a 12mm socket. Locate the two button head screws at the top of the fork shroud. Remove each screw with a 5mm hex key.
- 4. Install fork brackets.** Place one of the removed 8mm hex screws through the lower hole of the left fork bracket. Loosely attach the bracket to the lower left of the triple clamp. Locate one of the removed upper button head screws and one of the supplied spacers. Thread through the upper fork bracket hole, through the supplied spacer and mount into the screw hole in the upper fork shroud. Securely tighten the lower and upper screws. Repeat for the right fork bracket.
- 5. Replace parts.** Re-install the turn signal assembly, headlight nacelle and headlight.
- 6. Mount the windshield.** Hold the windshield up to the fork brackets, with the windshield supports on the outside of the fork brackets. Loosely secure the windshield with the supplied $\frac{1}{4}$ x 20 socket head cap screws. Note there are three mounting holes on each side of the fork bracket. Choose two adjacent holes and mount the windshield to your desired height and angle. Make sure the windshield does not contact the headlight or gauges.
- 7. Completing installation.** Tighten all four windshield mounting screws to the fork brackets.



Caution: Check clearances at the left and right fork lock.

Note: Motorcycle equipped with the Suzuki passing lamp assembly, omit steps 1, 2 and 5.

MAINTENANCE

WINDSHIELD CLEANING - Use mild soap and water or glass cleaners like Windex and a soft cloth. Do not use solvents or abrasive cleaners. Scratches can usually be removed with plastic polish or automotive cleaner waxes.

FORK CLAMPS - The aluminum fork clamps can be polished with a recognized polish like Semichrome or any brand name mag cleaner where the label lists it being for aluminum.

SNAP CAPS - To remove a Snap cap, lift an edge with a fingernail and carefully slide a small screwdriver blade under the cap. Gently pry off. To install, press on until cap snaps in place.

CAUTION:

Never allow brake fluid to come in contact with the windshield.

WARNING:

Tinted windshields are not for nighttime use unless you look over the windshield in the normal riding position.

WARRANTY

RIFLE PRODUCTS - This warranty applies to products manufactured or distributed by RIFLE, 3140 El Camino Real, Atascadero, CA 93422, (805)466-5880, and sold by RIFLE and its authorized dealers. It is given to the first retail purchaser only and is not transferable to subsequent owners.

WARRANTY OBLIGATION RIFLE - warrants that it, or one of its authorized dealers, will repair or, at its option, replace any part proven to be defective in factory material or workmanship within one year (unlimited mileage) of the date of purchase. Parts repaired or replaced under this warranty are warranted only during the balance of the original warranty period. This warranty does not include any labor charges

DISCLAIMER OF CONSEQUENTIAL DAMAGES AND LIMITATIONS OF IMPLIED

WARRANTIES - To the extent the law permits, RIFLE shall not be liable under any circumstances for loss of use of the product, consequential or incidental damages. Any implied warranty arising under law, including those of merchantability and fitness for a particular purpose is limited to duration of this limited warranty.

EXCLUSIONS FROM COVERAGE - Any repairs or replacements of parts necessitated by misuse, negligence, fire, accident, damage caused by exposure to gasoline, brake fluid, harmful solvents and cleaners, paints, or repair material, use of unauthorized accessories or faulty installation, improper or unreasonable maintenance are not covered.

IMPORTANT - Some states do not allow limitations on how long an implied warranty lasts and/or limitations or exclusions of consequential or incidental damages, so the above limitations may not apply to you.

RETURNS - If you are not completely satisfied with your RIFLE product, we will refund the purchase price (less freight charges), subject to a restocking fee. All claims must be made within thirty days of receipt and must be accompanied by a return authorization number. Reasonable claims will be honored within this time period only. Return merchandise must be packaged properly, and be received in new or nearly new condition. This applies only to product purchased directly from RIFLE.

WARRANTY REGISTRATION/QUESTIONNAIRE

For your warranty to be valid, you must fill out and mail this page to
RIFLE, 3140 El Camino Real, Atascadero, CA 93422

Name _____

Address _____

City _____ State _____ Zip _____

RIFLE Model Purchased: _____

Date of Purchase: _____

Where did you purchase: _____

Dealer Name and Address: _____

Your Bike Make: _____ Model: _____

Size (cc): _____ Year: _____ Color: _____

Did you consider buying a windshield/fairing other than RIFLE? _____

If yes, which one? _____

Why were you attracted to RIFLE? _____

What motorcycle magazines do you buy most (circle)?

Cycle World Cruiser Cruising Rider Motorcyclist Rider M/C Consumer

Other _____

Did you install the windshield yourself? _____

What do you like least about the windshield? _____

What accessories will you buy next for your bike? _____

FOLD HERE

stamp
here

RIFLE

3140 El Camino Real
Atascadero, CA 93422

Copyright© by RIFLE